



Between the World
and The Weather
Since 1928

Greenroof • Roofscapes® Drain Access Box

PRODUCT DESCRIPTION

Greenroof • Roofscapes® GR Drain Access Boxes are available in either mill finished aluminum or #4 finish (brushed) stainless steel, in a variety of gauges to meet specific project requirements. Quarter by one inch vertical slots, placed on one inch centers, offer an attractive appearance and plenty of drainage.

All aluminum Drain Access Boxes are manufactured using 90% recycled material.

Drain Access Boxes, Stainless Steel

GR Box23S6H	23" Square x 6" high, 18 gauge thickness
GR Box23S8H	23" Square x 8" high, 18 gauge thickness
GR Box23S6H	23" Square x 6" high, 16 gauge thickness
GR Box23S8H	23" Square x 8" high, 16 gauge thickness
GR Box29S6H	29" Square x 6" high, 18 gauge thickness
GR Box29S8H	29" Square x 8" high, 18 gauge thickness
GR Box29S6H	29" Square x 6" high, 16 gauge thickness
GR Box29S8H	29" Square x 8" high, 16 gauge thickness

Drain Access Boxes, Aluminum

GR Box23S6H050	23" Square x 6" high, .050" thickness
GR Box23S8H050	23" Square x 8" high, .050" thickness
GR Box23S6H063	23" Square x 6" high, .063" thickness
GR Box23S8H063	23" Square x 8" high, .063" thickness

Application Guidelines

The drain access box horizontal flanges shall be primed with Ram Primer and Surfacer Conditioner and allowed to dry. Install access boxes centered over the roof drains, setting the horizontal flange is an 1/8 inch thick coat of Ram Mastic over the membrane protection course and press firmly in place. Install balance of overburden over the access box flanges. Install access box cover using 1/4 by #20 stainless steel tamper resistant screws.

Note

All statements, information and data given herein are believed to be accurate and reliable, but are presented without guaranty, warranty or responsibility of any kind, expressed or implied, except as may be indicated herein. Statements or suggestions concerning possible uses of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent.

